

目 次

掲 載 項 目	品 目	ページ
・ 飼料分析報告書に関する証明書		2
・ 自社分析報告書	MF・MF粉末	3
	CR-LPF・CR-LPF粉末	4
	CRF-1・CRF-1粉末	5
	LRC4	6
	GOC4	7
	PS-A	8
・ コンタミナント報告書(和文)	MF・MF粉末	9
	CR-LPF・CR-LPF粉末	1 1
	CRF-1・CRF-1粉末	1 3
	LRC4	1 5
	GOC4	1 7
	PS-A	1 9
・ コンタミナント報告書(英文)	MF・MF粉末	2 1
	CRF-1・CRF-1粉末	2 3
	LRC4	2 5
	GOC4	2 7
	PS-A	2 9



ORIENTAL YEAST CO.,LTD.

6-10, 3-CHOME, AZUSAWA, ITABASHI-KU, TOKYO 174-8505 JAPAN

飼料分析報告書に関する証明書


2025 年 6 月に製造した実験動物用飼料の分析報告書の写しは当社に
保管されている原本と相違ないことを証明する。

2025 年 7 月 25 日

オリエンタル酵母

バ

リサーチソリ



分 析 試 験 報 告 書

No. 25G03-024

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : MF・MF粉末 Lot 250610
実 施 方 法 : 社 内 分 析 方 法

報告年月日	2025年7月10日
許斐美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水 分 (%)	7.5	9.9%以下
粗 蛋 白 質 (%)	23.5	22.0%以上
粗 脂 肪 (%)	5.4	3.5%以上
粗 灰 分 (%)	6.3	7.5%以下
粗 繊 維 (%)	4.1	4.5%以下
可 溶 性 無 窒 素 物 (%)	53.2	-
一 般 生 菌 数 (個/ g)	7.2 x 10 ³	3 x 10 ⁶ 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者: 密 武嗣司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-025

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : CR-LPF・CR-LPF粉末 Lot 250611
実 施 方 法 : 社 内 分 析 方 法

報告年月日	2025年7月10日
許斐美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水 分 (%)	7.5	9.9%以下
粗 蛋 白 質 (%)	16.7	15.0%以上
粗 脂 肪 (%)	4.2	2.5%以上
粗 灰 分 (%)	6.5	8.0%以下
粗 繊 維 (%)	5.2	6.5%以下
可 溶 性 無 窒 素 物 (%)	59.9	-
一 般 生 菌 数 (個/ g)	1.1 x 10 ⁴	3 x 10 ⁶ 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者： 密 武嗣司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-023

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : CRF-1・CRF-1粉末 Lot 250605
実 施 方 法 : 社内分析方法

報告年月日	2025年7月4日
許斐美幸	
品質管理室長	

項 目		結 果	品 質 基 準 値
水 分	(%)	7.8	9.9%以下
粗 蛋 白 質	(%)	22.5	21.0%以上
粗 脂 肪	(%)	5.6	4.0%以上
粗 灰 分	(%)	6.6	8.0%以下
粗 繊 維	(%)	4.0	5.0%以下
可 溶 性 無 窒 素 物	(%)	53.5	-
一 般 生 菌 数	(個/ g)	1.3 x 10 ⁴	3 x 10 ⁶ 個/ g 未満
サ ル モ ネ ラ	(個/20 g)	陰性	陰性
大 腸 菌 群	(個/ g)	陰性	陰性
真 菌 類	(個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質		適合	汚染物質基準
合格・出荷可とする		品質保証責任者:	密 武嗣

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-020

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : LRC4 Lot 250602
実 施 方 法 : 社 内 分 析 方 法

報告年月日	2025年7月10日
許斐 美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水 分 (%)	7.9	9.9%以下
粗 蛋 白 質 (%)	18.5	16.0%以上
粗 脂 肪 (%)	2.7	2.0%以上
粗 灰 分 (%)	8.9	12.0%以下
粗 繊 維 (%)	15.3	21.0%以下
可 溶 性 無 窒 素 物 (%)	46.7	-
一 般 生 菌 数 (個/ g)	3.7×10^5	3×10^6 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者： 密 武田司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-026

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : G0C4 Lot 250611
実 施 方 法 : 社 内 分 析 方 法

報告年月日	2025年6月27日
新斐美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水 分 (%)	7.3	9.9%以下
粗 蛋 白 質 (%)	20.5	16.0%以上
粗 脂 肪 (%)	2.6	1.5%以上
粗 灰 分 (%)	11.5	15.0%以下
粗 繊 維 (%)	17.6	26.0%以下
可 溶 性 無 窒 素 物 (%)	40.5	-
一 般 生 菌 数 (個/ g)	1.4 x 10 ⁵	3 x 10 ⁶ 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
合格・出荷可とする		
品質保証責任者： 密 武嗣司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-021

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検 体 名 : PS-A Lot 250602

実施方法 : 社内分析方法

報告年月日

2025年6月25日

許斐美幸

品質管理室長

項 目	結 果	品 質 基 準 値
水 分 (%)	7.3	9.9%以下
粗 蛋 白 質 (%)	21.9	20.0%以上
粗 脂 肪 (%)	7.0	5.0%以上
粗 灰 分 (%)	8.0	8.5%以下
粗 繊 維 (%)	3.2	4.5%以下
可 溶 性 無 窒 素 物 (%)	52.6	-
一 般 生 菌 数 (個/g)	100個/g 以下	3 x 10 ⁶ 個/g 未満
サ ル モ ネ ラ (個/20g)	陰性	陰性
大 腸 菌 群 (個/g)	陰性	陰性
真 菌 類 (個/g)	10個/g 以下	100個/g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者: 密 武田司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。



0 5 5 1 6 8 7 8 0 0 0 0 3 6 6 3 7

オーダーコード EUAA42-00012423

報告日 09.07.2025

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストイング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-06000239	受領日:	10.06.2025
お客様検体番号:	MF, MF Mash Lot 250610	分析日:	16.06.2025 - 09.07.2025
検体情報:	MF, MF粉末 Lot 250610		

一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10

金属類	結果	不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
ヒ素 (As)	0.39 ± (0.11)		mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
カドミウム (Cd)	0.066 ± (0.015)		mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
鉛	< 0.050		mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
セレン	0.47 ± (0.10)		mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS				
水銀 (Hg)	0.006 ± (0.004)		mg/kg	0.005

マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1

ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5

残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘブタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン(馬拉ソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF	PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS		
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

N. Kunisue

Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
鈴木 友浩
確認日付: 2025 年 07 月 15 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストイング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-06000269	受領日	11.06.2025
お客様検体番号	CR-LPF, CR-LPF Mash Lot 250611	分析日	16.06.2025 - 09.07.2025
検体情報	CR-LPF, CR-LPF粉末 Lot 250611		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.33 ± (0.10)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.057 ± (0.014)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	< 0.050	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.36 ± (0.08)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
ディルドリン	<0.005	mg/kg	0.005
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリン	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン(馬拉ソン)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

N. Kunisue

Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名 <i>親不友浩</i>
確認日付: 2025 年 07 月 15 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-06000183	受領日:	09.06.2025
お客様検体番号:	CRF-1, CRF-1 Mash Lot 250605	分析日:	13.06.2025 - 02.07.2025
検体情報:	CRF-1, CRF-1粉末 Lot 250605		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.36 ± (0.11)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.064 ± (0.015)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	< 0.050	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.60 ± (0.13)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	0.005 ± (0.004)	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にも適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘブタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン(馬拉ソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-06000238	受領日:	10.06.2025
お客様検体番号:	LRC4 Lot 250602	分析日:	16.06.2025 - 09.07.2025
検体情報:	LRC4 Lot 250602		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.17 ± (0.09)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.065 ± (0.015)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.15 ± (0.05)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.18 ± (0.05)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン(馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソグへの追加項目) 分析方法 : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

N. Kunisue

Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
<i>鈴木 友浩</i>
確認日付: 2025 年 07 月 15 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使ソされた検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告してあります。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-06000270	受領日:	11.06.2025
お客様検体番号:	GOC4 Lot 250611	分析日:	16.06.2025 - 09.07.2025
検体情報:	GOC4 Lot 250611		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.25 ± (0.09)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.090 ± (0.020)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.24 ± (0.07)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.23 ± (0.06)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	0.006 ± (0.004)	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にも適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘブタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン(馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソグへの追加項目) 分析方法 : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名

確認日付: 2025 年 07 月 15 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使ソされた検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しておソります。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 3 6 3 5 9

オーダーコード EUAA42-00012361

報告日 24.06.2025

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-06000064	受領日:	03.06.2025
お客様検体番号:	PS-A Lot 250602	分析日:	06.06.2025 - 24.06.2025
検体情報:	PS-A Lot 250602		

一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10

金属類	結果	不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
ヒ素 (As)	0.32	± (0.10)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
カドミウム (Cd)	0.056	± (0.014)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
鉛	0.13	± (0.05)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
セレン	0.30	± (0.07)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS				
水銀 (Hg)	< 0.005		mg/kg	0.005

マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1

ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5

残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。




残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン(馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソグへの追加項目) 分析方法 : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。
 頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。
 頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。


 Narumi Kunisue
 ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使ソされた検体にのみ適用されます。
 この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
 適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しておソります。
 規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
 弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-06000239	Sample reception date:	10.06.2025
Client Code:	MF, MF Mash Lot 250610	Analysed between:	16.06.2025 - 09.07.2025
Sample described as:	MF, MF粉末 Lot 250610		
Chemistry			
JJ0B5 JR	NDMA / NDEA Method : Internal Method, GC-MS/MS	Results	Unit LOQ
	N-Nitrosodiethylamine (NDEA)	<10	µg/kg 10
	N-Nitrosodimethylamine (NDMA)	<10	µg/kg 10
Metals			
J8312 I6	Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Results (uncertainty)	Unit LOQ
	Arsenic (As)	0.39 ± (0.11)	mg/kg 0.1
J8308 I6	Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Cadmium (Cd)	0.066 ± (0.015)	mg/kg 0.01
J8306 I6	Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Lead (Pb)	< 0.050	mg/kg 0.05
JJ0EV I6	Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Selenium (Se)	0.47 ± (0.10)	mg/kg 0.05
J1018 I6	Mercury (Hg) Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS		
	Mercury (Hg)	0.006 ± (0.004)	mg/kg 0.005
Mycotoxins			
JCAF3 I6	Aflatoxin B1, B2, G1, G2 Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD	Results	Unit LOQ
	Aflatoxin B1	< 1	µg/kg 1
	Aflatoxin B2	< 1	µg/kg 1
	Aflatoxin G1	< 1	µg/kg 1
	Aflatoxin G2	< 1	µg/kg 1
Hormones			
JCES3 I6	Estradiol (feed) Method : LC-MS/MS	Results	Unit LOQ
	17β-Estradiol	< 5	µg/kg 5
Pesticide Residue			
SFLA0 SF	Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L	Results	Unit LOQ
	00.00-34 : 2010-09, mod., GC-MS [GC-MS]		
	DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg 0.01
	DDE, o,p-	<0.005	mg/kg 0.005
	DDD, o,p-	<0.005	mg/kg 0.005
	Endrin	<0.005	mg/kg 0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



0 5 5 1 6 8 7 8 0 0 0 0 3 6 6 3 7

Batch code EUAA42-00012423

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005

PCB	Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS		
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-06000183	Sample reception date:	09.06.2025		
Client Code:	CRF-1, CRF-1 Mash Lot 250605	Analysed between:	13.06.2025 - 02.07.2025		
Sample described as:	CRF-1,CRF-1粉末 Lot 250605				
Chemistry		Results	Unit	LOQ	
JJ0B5	JR	NDMA / NDEA	Method : Internal Method, GC-MS/MS		
		N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
		N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10
Metals		Results (uncertainty)	Unit	LOQ	
J8312	I6	Arsenic (As)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
		Arsenic (As)	0.36 ± (0.11)	mg/kg	0.1
J8308	I6	Cadmium (Cd)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
		Cadmium (Cd)	0.064 ± (0.015)	mg/kg	0.01
J8306	I6	Lead (Pb)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
		Lead (Pb)	< 0.050	mg/kg	0.05
JJ0EV	I6	Selenium (Se)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
		Selenium (Se)	0.60 ± (0.13)	mg/kg	0.05
J1018	I6	Mercury (Hg)	Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS		
		Mercury (Hg)	0.005 ± (0.004)	mg/kg	0.005
Mycotoxins		Results	Unit	LOQ	
JCAF3	I6	Aflatoxin B1, B2, G1, G2	Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD		
		Aflatoxin B1	< 1	µg/kg	1
		Aflatoxin B2	< 1	µg/kg	1
		Aflatoxin G1	< 1	µg/kg	1
		Aflatoxin G2	< 1	µg/kg	1
Hormones		Results	Unit	LOQ	
JCES3	I6	Estradiol (feed)	Method : LC-MS/MS		
		17β-Estradiol	< 5	µg/kg	5
Pesticide Residue		Results	Unit	LOQ	
SFLA0	SF	Pesticide Screening GC/MS in food with low water content	Selected Parameter(s) Method : § 64 LFGB L		
		00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
		DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
		DDE, o,p-	<0.005	mg/kg	0.005
		DDD, o,p-	<0.005	mg/kg	0.005
		Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012411

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-06000238	Sample reception date:	10.06.2025
Client Code:	LRC4 Lot 250602	Analysed between:	16.06.2025 - 09.07.2025
Sample described as:	LRC4 Lot 250602		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10

Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.17 ± (0.09)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.065 ± (0.015)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	0.15 ± (0.05)	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.18 ± (0.05)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005

Mycotoxins	Results	Unit	LOQ
JCAF3 I6 Aflatoxin B1, B2, G1, G2 Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1

Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5

Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L			
00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012422

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005

PCB	Results	Unit	LOQ
SFVNS SF PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-06000270	Sample reception date:	11.06.2025
Client Code:	GOC4 Lot 250611	Analysed between:	16.06.2025 - 09.07.2025
Sample described as:	GOC4 Lot 250611		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10

Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.25 ± (0.09)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.090 ± (0.020)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	0.24 ± (0.07)	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.23 ± (0.06)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS			
Mercury (Hg)	0.006 ± (0.004)	mg/kg	0.005

Mycotoxins	Results	Unit	LOQ
JCAF3 I6 Aflatoxin B1, B2, G1, G2 Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1

Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5

Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L			
00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012433

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-06000064	Sample reception date:	03.06.2025
Client Code:	PS-A Lot 250602	Analysed between:	06.06.2025 - 24.06.2025
Sample described as:	PS-A Lot 250602		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10

Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.32 ± (0.10)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.056 ± (0.014)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	0.13 ± (0.05)	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.30 ± (0.07)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005

Mycotoxins	Results	Unit	LOQ
JCAF3 I6 Aflatoxin B1, B2, G1, G2 Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1

Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5

Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L			
00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012361

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.