

目 次

掲 載 項 目	品 目	ページ
・ 飼料分析報告書に関する証明書		2
・ 自社分析報告書	MF・MF粉末	3
	CR-LPF・CR-LPF粉末	4
	CRF-1・CRF-1粉末 Lot.250805	5
	CRF-1・CRF-1粉末 Lot.250827	6
	LRC4	7
	DS-A	8
	PS-A	9
	SPS	10
・ コンタミナント報告書(和文)	MF・MF粉末	11
	CR-LPF・CR-LPF粉末	13
	CRF-1・CRF-1粉末 Lot.250805	15
	CRF-1・CRF-1粉末 Lot.250827	17
	LRC4	19
	DS-A	21
	PS-A	23
・ コンタミナント報告書(英文)	MF・MF粉末	25
	CRF-1・CRF-1粉末 Lot.250805	27
	CRF-1・CRF-1粉末 Lot.250827	29
	LRC4	31
	DS-A	33
	PS-A	35



ORIENTAL YEAST CO.,LTD.

6-10, 3-CHOME, AZUSAWA, ITABASHI-KU, TOKYO 174-8505 JAPAN

飼料分析報告書に関する証明書

2025 年 8 月に製造した実験動物用飼料の分析報告書の写しは当社に
保管されている原本と相違ないことを証明する。

2025 年 9 月 30 日

オリエンタル酵母工業株式

リサーチソ



分 析 試 験 報 告 書

No. 25G03-042

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : MF・MF粉末 Lot 250818
実 施 方 法 : 社内分析方法

報告年月日	2025年9月11日
許斐美幸	
品質管理室長	

項 目		結 果	品 質 基 準 値
水 分	(%)	8.0	9.9%以下
粗 蛋 白 質	(%)	23.7	22.0%以上
粗 脂 肪	(%)	5.3	3.5%以上
粗 灰 分	(%)	6.4	7.5%以下
粗 繊 維	(%)	3.9	4.5%以下
可 溶 性 無 窒 素 物	(%)	52.7	-
一 般 生 菌 数	(個/ g)	7.0 x 10 ³	3 x 10 ⁶ 個/ g 未満
サ ル モ ネ ラ	(個/20 g)	陰性	陰性
大 腸 菌 群	(個/ g)	陰性	陰性
真 菌 類	(個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質		適合	汚染物質基準
合格・出荷可とする		品質保証責任者:	密 武嗣

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-044

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検 体 名 : CR-LPF・CR-LPF粉末 Lot 250830

実 施 方 法 : 社 内 分 析 方 法

報告年月日

2025年9月24日

許斐美幸

品質管理室長

項 目	結 果	品 質 基 準 値
水 分 (%)	7.9	9.9%以下
粗 蛋 白 質 (%)	16.5	15.0%以上
粗 脂 肪 (%)	3.8	2.5%以上
粗 灰 分 (%)	6.6	8.0%以下
粗 繊 維 (%)	5.0	6.5%以下
可 溶 性 無 窒 素 物 (%)	60.2	-
一 般 生 菌 数 (個/ g)	9.1×10^3	3×10^6 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者: 密 武嗣		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分 析 試 驗 報 告 書

No. 25G03-040

御中

7261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場品質管理室

検 体 名 : CRF-1・CRF-1粉末 Lot 250805

実 施 方 法 : 社 内 分 析 方 法

報告年月日	2025年8月28日
許斐美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水 分 (%)	8.0	9.9%以下
粗 蛋 白 質 (%)	22.0	21.0%以上
粗 脂 肪 (%)	5.2	4.0%以上
粗 灰 分 (%)	6.7	8.0%以下
粗 繊 維 (%)	3.4	5.0%以下
可 溶 性 無 窒 素 物 (%)	54.7	-
一 般 生 菌 数 (個/ g)	1.3×10^4	3×10^6 個/ g 未満
サル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準

合格・出荷可とする

品質保証責任者: 密 武嗣司

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-043

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検 体 名 : CRF-1・CRF-1粉末 Lot 250827

実 施 方 法 : 社 内 分 析 方 法

報告年月日 2025年9月24日

許斐美幸

品質管理室長

項 目	結 果	品 質 基 準 値
水 分 (%)	8.2	9.9%以下
粗 蛋 白 質 (%)	22.1	21.0%以上
粗 脂 肪 (%)	5.5	4.0%以上
粗 灰 分 (%)	7.1	8.0%以下
粗 繊 維 (%)	3.9	5.0%以下
可 溶 性 無 窒 素 物 (%)	53.2	-
一 般 生 菌 数 (個/ g)	7.0×10^3	3×10^6 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者: 密 武嗣		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-037

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : LRC4 Lot 250801
実 施 方 法 : 社内分析方法

報告年月日	2025年8月28日
許斐 美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水分 (%)	8.3	9.9%以下
粗蛋白質 (%)	18.7	16.0%以上
粗脂肪 (%)	2.9	2.0%以上
粗灰分 (%)	9.0	12.0%以下
粗繊維 (%)	14.1	21.0%以下
可溶性無窒素物 (%)	47.0	-
一般生菌数 (個/ g)	4.1 x 10 ⁵	3 x 10 ⁶ 個/ g 未満
サルモネラ (個/20 g)	陰性	陰性
大腸菌群 (個/ g)	陰性	陰性
真菌類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者: 密 武田司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分析試験報告書

No. 25G03-041

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検体名 : DS-A Lot 250805

実施方法 : 社内分析方法

報告年月日

2025年8月28日

新斐美幸

品質管理室長

項目	結果	品質基準値
水分 (%)	7.2	9.9%以下
粗蛋白質 (%)	24.6	23.0%以上
粗脂肪 (%)	7.3	5.5%以上
粗灰分 (%)	7.5	8.5%以下
粗繊維 (%)	4.2	6.5%以下
可溶性無窒素物 (%)	49.2	-
一般生菌数 (個/ g)	3.0×10^2	3×10^6 個/ g 未満
サルモネラ (個/20 g)	陰性	陰性
大腸菌群 (個/ g)	陰性	陰性
真菌類 (個/ g)	10個/ g 以下	100個/ g 以下
汚染物質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者: 密 武嗣		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-039

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : PS-A Lot 250804
実 施 方 法 : 社 内 分 析 方 法

報告年月日	2025年8月28日
許斐美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水分 (%)	6.9	9.9%以下
粗蛋白質 (%)	21.2	20.0%以上
粗脂肪 (%)	6.9	5.0%以上
粗灰分 (%)	7.9	8.5%以下
粗繊維 (%)	3.3	4.5%以下
可溶性無窒素物 (%)	53.8	-
一般生菌数 (個/ g)	3.8 x 10 ²	3 x 10 ⁶ 個/ g 未満
サルモネラ (個/20 g)	陰性	陰性
大腸菌群 (個/ g)	陰性	陰性
真菌類 (個/ g)	10個/ g 以下	100個/ g 以下
汚染物質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者： 密 武嗣		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 25G03-038

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : SPS Lot 250801
実 施 方 法 : 社内分析方法

報告年月日	2025年8月8日
許斐美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水分 (%)	7.2	9.9%以下
粗蛋白質 (%)	22.9	21.0%以上
粗脂肪 (%)	9.4	7.0%以上
粗灰分 (%)	5.8	7.0%以下
粗繊維 (%)	2.6	3.5%以下
可溶性無窒素物 (%)	52.1	-
一般生菌数 (個/ g)	100個/ g 以下	3 x 10 ⁶ 個/ g 未満
サルモネラ (個/20 g)	陰性	陰性
大腸菌群 (個/ g)	陰性	陰性
真菌類 (個/ g)	10個/ g 以下	100個/ g 以下
合格・出荷可とする		
品質保証責任者： 密 武嗣		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。



055168780000037751

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-08000360	受領日:	25.08.2025
お客様検体番号:	MF, MF Mash Lot 250818	分析日:	29.08.2025 - 10.09.2025
検体情報:	MF, MF粉末 Lot 250818		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.38 ± (0.11)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.057 ± (0.014)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	< 0.050	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.43 ± (0.09)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法 : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名

確認日付: 2025年09月18日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-09000021	受領日:	01.09.2025
お客様検体番号:	CR-LPF, CR-LPF Mash Lot 250830	分析日:	04.09.2025 - 22.09.2025
検体情報:	CR-LPF, CR-LPF粉末 Lot 250830		
一般分析			
JJ0B5 JR	ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS	結果	単位 定量下限値
N-ニトロソジエチルアミン (NDEA)		<10	µg/kg 10
N-ニトロソジメチルアミン (NDMA)		<10	µg/kg 10
金属類			
J8312 I6	ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS	結果 不確かさ	単位 定量下限値
ヒ素 (As)		0.37 ± (0.11)	mg/kg 0.1
J8308 I6	カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
カドミウム (Cd)		0.055 ± (0.014)	mg/kg 0.01
J8306 I6	鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
鉛		< 0.050	mg/kg 0.05
JJ0EV I6	セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
セレン		0.33 ± (0.08)	mg/kg 0.05
J1018 I6	総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS		
水銀 (Hg)		< 0.005	mg/kg 0.005
マイコトキシン類(カビ毒)			
JCFAF I6	アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD	結果	単位 定量下限値
アフラトキシン B1		< 1	µg/kg 1
アフラトキシン B2		< 1	µg/kg 1
アフラトキシン G1		< 1	µg/kg 1
アフラトキシン G2		< 1	µg/kg 1
ホルモン			
JCES3 I6	エストラジオール(飼料) 分析方法: LC-MS/MS	結果	単位 定量下限値
17β-エストラジオール		< 5	µg/kg 5
残留農薬			
SFLA0 SF	水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS	結果	単位 定量下限値
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)		<0.01	mg/kg 0.01
DDE, o,p-		<0.005	mg/kg 0.005
DDD, o,p-		<0.005	mg/kg 0.005
エンドリン		<0.005	mg/kg 0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 3 8 0 0 5

オーダーコード EUAA42-00012996

残留農薬	結果	単位	定量下限値
ディルドリン	<0.005	mg/kg	0.005
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソノ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF	PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS		
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

N. Kunisue

Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
統下及浩
確認日付: 2025年09月26日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 3 7 5 5 6

オーダーコード EUAA42-00012829

報告日 27.08.2025

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-08000089	受領日:	05.08.2025
お客様検体番号:	CRF-1, CRF-1 Mash Lot 250805	分析日:	11.08.2025 - 27.08.2025
検体情報:	CRF-1, CRF-1粉末 Lot 250805		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.35 ± (0.11)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.080 ± (0.018)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	< 0.050	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.42 ± (0.09)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にも適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

N. Kunisue

Narumi Kunisue
ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 0 3 8 0 0 6

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-09000022	受領日:	01.09.2025
お客様検体番号:	CRF-1, CRF-1 Mash Lot 250827	分析日:	04.09.2025 - 22.09.2025
検体情報:	CRF-1, CRF-1粉末 Lot 250827		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.39 ± (0.11)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.068 ± (0.016)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	< 0.050	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.31 ± (0.07)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	0.006 ± (0.004)	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCF AF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘブタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

N. Kunisue

Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
<i>統不反浩</i>
確認日付: 2025 年 09 月 06 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 3 7 5 5 4

オーダーコード EUAA42-00012818

報告日 27.08.2025

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-08000069	受領日:	04.08.2025
お客様検体番号:	LRC4 Lot 250801	分析日:	07.08.2025 - 27.08.2025
検体情報:	LRC4 Lot 250801		

一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10

金属類	結果	不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
ヒ素 (As)	< 0.10		mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
カドミウム (Cd)	0.071 ± (0.016)		mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
鉛	0.14 ± (0.05)		mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
セレン	0.18 ± (0.05)		mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS				
水銀 (Hg)	< 0.005		mg/kg	0.005

マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1

ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5

残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にも適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

N. Kunisue

Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
統不友浩
確認日付: 2025 年 09 月 1 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 0 3 7 5 5 7

オーダーコード EUAA42-00012830

報告日 27.08.2025

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-08000090	受領日:	05.08.2025
お客様検体番号:	DS-A Lot 250805	分析日:	11.08.2025 - 27.08.2025
検体情報:	DS-A Lot 250805		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.34 ± (0.10)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.052 ± (0.013)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.068 ± (0.042)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.46 ± (0.10)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法 : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 3 7 5 5 5

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2025-08000070	受領日:	04.08.2025
お客様検体番号:	PS-A Lot 250804	分析日:	07.08.2025 - 27.08.2025
検体情報:	PS-A Lot 250804		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.26 ± (0.10)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.070 ± (0.016)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.12 ± (0.05)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.31 ± (0.07)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2003-12) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCAF3 I6 アフラトキシン B1, B2, G1, G2 分析方法: DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。
 頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。
 頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

N. Kunisue
 Narumi Kunisue
 ASM Associate

***** 以下余白 *****

確認者署名
<i>親木 友浩</i>
確認日付: 2025年09月01日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
 この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
 適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
 規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
 弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.		712-2025-08000360		Sample reception date:		25.08.2025	
Client Code:		MF, MF Mash Lot 250818		Analysed between:		29.08.2025 - 10.09.2025	
Sample described as:		MF, MF粉末 Lot 250818					
Chemistry				Results	Unit	LOQ	
JJ0B5	JR	NDMA / NDEA	Method : Internal Method, GC-MS/MS				
		N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10		
		N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10		
Metals				Results (uncertainty)	Unit	LOQ	
J8312	I6	Arsenic (As)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS				
		Arsenic (As)	0.38 ± (0.11)	mg/kg	0.1		
J8308	I6	Cadmium (Cd)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS				
		Cadmium (Cd)	0.057 ± (0.014)	mg/kg	0.01		
J8306	I6	Lead (Pb)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS				
		Lead (Pb)	< 0.050	mg/kg	0.05		
JJ0EV	I6	Selenium (Se)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS				
		Selenium (Se)	0.43 ± (0.09)	mg/kg	0.05		
J1018	I6	Mercury (Hg)	Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS				
		Mercury (Hg)	< 0.005	mg/kg	0.005		
Mycotoxins				Results	Unit	LOQ	
JCAF3	I6	Aflatoxin B1, B2, G1, G2	Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD				
		Aflatoxin B1	< 1	µg/kg	1		
		Aflatoxin B2	< 1	µg/kg	1		
		Aflatoxin G1	< 1	µg/kg	1		
		Aflatoxin G2	< 1	µg/kg	1		
Hormones				Results	Unit	LOQ	
JCES3	I6	Estradiol (feed)	Method : LC-MS/MS				
		17β-Estradiol	< 5	µg/kg	5		
Pesticide Residue				Results	Unit	LOQ	
SFLA0	SF	Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L					
		00.00-34 : 2010-09, mod., GC-MS [GC-MS]					
		DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01		
		DDE, o,p-	<0.005	mg/kg	0.005		
		DDD, o,p-	<0.005	mg/kg	0.005		
		Endrin	<0.005	mg/kg	0.005		

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012955

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005

PCB	Results	Unit	LOQ
SFVNS SF PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-08000089	Sample reception date:	05.08.2025
Client Code:	CRF-1, CRF-1 Mash Lot 250805	Analysed between:	11.08.2025 - 27.08.2025
Sample described as:	CRF-1,CRF-1粉末 Lot 250805		
Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10
Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.35 ± (0.11)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.080 ± (0.018)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	< 0.050	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.42 ± (0.09)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005
Mycotoxins	Results	Unit	LOQ
JCAF3 I6 Aflatoxin B1, B2, G1, G2 Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1
Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5
Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L			
00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012829

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.		712-2025-09000022		Sample reception date:		01.09.2025	
Client Code:		CRF-1, CRF-1 Mash Lot 250827		Analysed between:		04.09.2025 - 22.09.2025	
Sample described as:		CRF-1,CRF-1粉末 Lot 250827					
Chemistry				Results	Unit	LOQ	
JJ0B5	JR	NDMA / NDEA	Method : Internal Method, GC-MS/MS				
N-Nitrosodiethylamine (NDEA)				<10	µg/kg	10	
N-Nitrosodimethylamine (NDMA)				<10	µg/kg	10	
Metals				Results (uncertainty)	Unit	LOQ	
J8312	I6	Arsenic (As)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS				
Arsenic (As)				0.39 ± (0.11)	mg/kg	0.1	
J8308	I6	Cadmium (Cd)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS				
Cadmium (Cd)				0.068 ± (0.016)	mg/kg	0.01	
J8306	I6	Lead (Pb)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS				
Lead (Pb)				< 0.050	mg/kg	0.05	
JJ0EV	I6	Selenium (Se)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS				
Selenium (Se)				0.31 ± (0.07)	mg/kg	0.05	
J1018	I6	Mercury (Hg)	Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS				
Mercury (Hg)				0.006 ± (0.004)	mg/kg	0.005	
Mycotoxins				Results	Unit	LOQ	
JCFAF	I6	Aflatoxin B1, B2, G1, G2	Method : Internal method, IAC-LC-FLD				
Aflatoxin B1				< 1	µg/kg	1	
Aflatoxin B2				< 1	µg/kg	1	
Aflatoxin G1				< 1	µg/kg	1	
Aflatoxin G2				< 1	µg/kg	1	
Hormones				Results	Unit	LOQ	
JCES3	I6	Estradiol (feed)	Method : LC-MS/MS				
17β-Estradiol				< 5	µg/kg	5	
Pesticide Residue				Results	Unit	LOQ	
SFLA0	SF	Pesticide Screening GC/MS in food with low water content			Selected Parameter(s)		Method : § 64 LFGB L
				00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)				<0.01	mg/kg	0.01	
DDE, o,p-				<0.005	mg/kg	0.005	
DDD, o,p-				<0.005	mg/kg	0.005	
Endrin				<0.005	mg/kg	0.005	

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012997

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.

The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****

確認者署名
鈴木 友浩
確認日付: 2025年09月26日
Oriental Yeast Co., Ltd.

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-08000069	Sample reception date:	04.08.2025
Client Code:	LRC4 Lot 250801	Analysed between:	07.08.2025 - 27.08.2025
Sample described as:	LRC4 Lot 250801		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10

Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	< 0.10	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.071 ± (0.016)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	0.14 ± (0.05)	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.18 ± (0.05)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005

Mycotoxins	Results	Unit	LOQ
JCAF3 I6 Aflatoxin B1, B2, G1, G2 Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1

Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5

Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L			
00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012818

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.

The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****

確認者署名
統不友浩
確認日付: 2025 年 09 月 01 日
Oriental Yeast Co., Ltd.

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-08000090	Sample reception date:	05.08.2025
Client Code:	DS-A Lot 250805	Analysed between:	11.08.2025 - 27.08.2025
Sample described as:	DS-A Lot 250805		
Chemistry			
JJ0B5 JR	NDMA / NDEA Method : Internal Method, GC-MS/MS	Unit	LOQ
	N-Nitrosodiethylamine (NDEA)	<10 µg/kg	10
	N-Nitrosodimethylamine (NDMA)	<10 µg/kg	10
Metals			
J8312 I6	Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Results (uncertainty)	Unit
	Arsenic (As)	0.34 ± (0.10)	mg/kg
J8308 I6	Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		LOQ
	Cadmium (Cd)	0.052 ± (0.013)	mg/kg
J8306 I6	Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Lead (Pb)	0.068 ± (0.042)	mg/kg
JJ0EV I6	Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Selenium (Se)	0.46 ± (0.10)	mg/kg
J1018 I6	Mercury (Hg) Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS		
	Mercury (Hg)	< 0.005	mg/kg
Mycotoxins			
JCAF3 I6	Aflatoxin B1, B2, G1, G2 Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD	Results	Unit
	Aflatoxin B1	< 1	µg/kg
	Aflatoxin B2	< 1	µg/kg
	Aflatoxin G1	< 1	µg/kg
	Aflatoxin G2	< 1	µg/kg
Hormones			
JCES3 I6	Estradiol (feed) Method : LC-MS/MS	Results	Unit
	17β-Estradiol	< 5	µg/kg
Pesticide Residue			
SFLA0 SF	Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L	Results	Unit
	00.00-34 : 2010-09, mod., GC-MS [GC-MS]		LOQ
	DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg
	DDE, o,p-	<0.005	mg/kg
	DDD, o,p-	<0.005	mg/kg
	Endrin	<0.005	mg/kg

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012830

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005

PCB	Results	Unit	LOQ
SFVNS SF PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2025-08000070	Sample reception date:	04.08.2025
Client Code:	PS-A Lot 250804	Analysed between:	07.08.2025 - 27.08.2025
Sample described as:	PS-A Lot 250804		
Chemistry			
JJ0B5 JR	NDMA / NDEA Method : Internal Method, GC-MS/MS	Unit	LOQ
	N-Nitrosodiethylamine (NDEA)	<10 µg/kg	10
	N-Nitrosodimethylamine (NDMA)	<10 µg/kg	10
Metals			
J8312 I6	Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Results (uncertainty)	Unit
	Arsenic (As)	0.26 ± (0.10)	mg/kg
J8308 I6	Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		LOQ
	Cadmium (Cd)	0.070 ± (0.016)	mg/kg
J8306 I6	Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Lead (Pb)	0.12 ± (0.05)	mg/kg
JJ0EV I6	Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Selenium (Se)	0.31 ± (0.07)	mg/kg
J1018 I6	Mercury (Hg) Method : ASU L00.00-19/4 (2003-12), mod., CV-AAS		
	Mercury (Hg)	< 0.005	mg/kg
Mycotoxins			
JCAF3 I6	Aflatoxin B1, B2, G1, G2 Method : DIN EN 14123 (2008-03), mod., IAC-LC-FLD	Results	Unit
	Aflatoxin B1	< 1	µg/kg
	Aflatoxin B2	< 1	µg/kg
	Aflatoxin G1	< 1	µg/kg
	Aflatoxin G2	< 1	µg/kg
Hormones			
JCES3 I6	Estradiol (feed) Method : LC-MS/MS	Results	Unit
	17β-Estradiol	< 5	µg/kg
Pesticide Residue			
SFLA0 SF	Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L	Results	Unit
	00.00-34 : 2010-09, mod., GC-MS [GC-MS]		LOQ
	DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg
	DDE, o,p-	<0.005	mg/kg
	DDD, o,p-	<0.005	mg/kg
	Endrin	<0.005	mg/kg

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00012819

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005

PCB	Results	Unit	LOQ
SFVNS SF PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****

確認者署名 
確認日付: 2025年09月01日
Oriental Yeast Co., Ltd.

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.