

目 次

掲 載 項 目	品 目	ページ
・ 飼料分析報告書に関する証明書		2
・ 自社分析報告書	MF・MF粉末	3
	CR-LPF・CR-LPF粉末	4
	CRF-1・CRF-1粉末	5
	LRC4	6
	GOC4	7
	PS-A	8
	MP-A	9
・ コンタミナント報告書(和文)	MF・MF粉末	10
	CR-LPF・CR-LPF粉末	12
	CRF-1・CRF-1粉末	14
	LRC4	16
	GOC4	18
	PS-A	20
	MP-A	22
・ コンタミナント報告書(英文)	MF・MF粉末	24
	CRF-1・CRF-1粉末	26
	LRC4	28
	GOC4	30
	PS-A	32



ORIENTAL YEAST CO.,LTD.

6-10, 3-CHOME, AZUSAWA, ITABASHI-KU, TOKYO 174-8505 JAPAN

飼料分析報告書に関する証明書

2026年4月に製造した実験動物用飼料の分析報告書の写しは当社に
保管されている原本と相違ないことを証明する。

2026年5月29日

オリエンタル酵母工業株式会社

バ

リサーチソリ



分析試験報告書

No. 26G03-004

御中

〒261-0002

千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検体名 : MF・MF粉末 Lot 260406

実施方法 : 社内分析方法

報告年月日	2026年5月7日
酒井 美幸	
品質管理室長	

項目	結果	品質基準値
水分 (%)	8.7	9.9%以下
粗蛋白質 (%)	23.4	22.0%以上
粗脂肪 (%)	5.6	3.5%以上
粗灰分 (%)	5.9	7.5%以下
粗繊維 (%)	3.8	4.5%以下
可溶性無窒素物 (%)	52.6	-
一般生菌数 (個/g)	4.9×10^3	3×10^6 個/g未満
サルモネラ (個/20g)	陰性	陰性
大腸菌群 (個/g)	陰性	陰性
真菌類 (個/g)	10個/g以下	100個/g以下
汚染物質	適合	汚染物質基準
合格・出荷可とする	品質保証責任者 : 密 武嗣	

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分析試験報告書

No. 26G03-003

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検体名 : CR-LPF・CR-LPF粉末 Lot 260403

実施方法 : 社内分析方法

報告年月日

2026年5月7日

酒井 美幸

品質管理室長

項目	結果	品質基準値
水分 (%)	8.4	9.9%以下
粗蛋白質 (%)	16.3	15.0%以上
粗脂肪 (%)	4.0	2.5%以上
粗灰分 (%)	6.2	8.0%以下
粗繊維 (%)	5.0	6.5%以下
可溶性無窒素物 (%)	60.1	-
一般生菌数 (個/g)	6.5×10^3	3×10^6 個/g未満
サルモネラ (個/20g)	陰性	陰性
大腸菌群 (個/g)	陰性	陰性
真菌類 (個/g)	10個/g以下	100個/g以下
汚染物質	適合	汚染物質基準
合格・出荷可とする	品質保証責任者: 密 武淵	

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分析試験報告書

No. 26G03-001

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検体名 : CRF-1・CRF-1粉末 Lot 260401

実施方法 : 社内分析方法

報告年月日

2026年5月7日

酒井 美幸

品質管理室長

項目	結果	品質基準値
水分 (%)	8.5	9.9%以下
粗蛋白質 (%)	21.9	21.0%以上
粗脂肪 (%)	5.4	4.0%以上
粗灰分 (%)	6.5	8.0%以下
粗繊維 (%)	3.6	5.0%以下
可溶性無窒素物 (%)	54.1	-
一般生菌数 (個/g)	5.2×10^3	3×10^6 個/g未満
サルモネラ (個/20g)	陰性	陰性
大腸菌群 (個/g)	陰性	陰性
真菌類 (個/g)	10個/g以下	100個/g以下
汚染物質	適合	汚染物質基準
合格・出荷可とする	品質保証責任者: 密 武嗣	

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分析試験報告書

No. 26G03-002

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検体名 : LRC4 Lot 260402

実施方法 : 社内分析方法

報告年月日

2026年5月7日

酒井 美幸

品質管理室長

項目	結果	品質基準値
水分 (%)	9.0	9.9%以下
粗蛋白質 (%)	18.8	16.0%以上
粗脂肪 (%)	2.7	2.0%以上
粗灰分 (%)	8.6	12.0%以下
粗繊維 (%)	14.8	21.0%以下
可溶性無窒素物 (%)	46.1	-
一般生菌数 (個/g)	4.8×10^4	3×10^6 個/g未満
サルモネラ (個/20g)	陰性	陰性
大腸菌群 (個/g)	陰性	陰性
真菌類 (個/g)	10個/g以下	100個/g以下
汚染物質	適合	汚染物質基準
合格・出荷可とする	品質保証責任者 : 密 武嗣	

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分析試験報告書

No. 26G03-007

御中

〒261-0002

千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検体名 : GOC4 Lot 260409
実施方法 : 社内分析方法

報告年月日	2026年4月17日
酒井 美幸	
品質管理室長	

項目	結果	品質基準値
水分 (%)	8.0	9.9%以下
粗蛋白質 (%)	20.5	16.0%以上
粗脂肪 (%)	2.5	1.5%以上
粗灰分 (%)	10.1	15.0%以下
粗繊維 (%)	17.2	26.0%以下
可溶性無窒素物 (%)	41.7	-
一般生菌数 (個/g)	4.1×10^4	3×10^6 個/g未満
サルモネラ (個/20g)	陰性	陰性
大腸菌群 (個/g)	陰性	陰性
真菌類 (個/g)	10個/g以下	100個/g以下
合格・出荷可とする		
品質保証責任者: 密 武嗣		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分析試験報告書

No. 26G03-005

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検体名 : PS-A Lot 260407

実施方法 : 社内分析方法

報告年月日

2026年5月7日

酒井 美幸

品質管理室長

項目	結果	品質基準値
水分 (%)	8.1	9.9%以下
粗蛋白質 (%)	21.2	20.0%以上
粗脂肪 (%)	7.0	5.0%以上
粗灰分 (%)	8.0	8.5%以下
粗繊維 (%)	3.3	4.5%以下
可溶性無窒素物 (%)	52.4	-
一般生菌数 (個/g)	100個/g以下	3 x 10 ⁶ 個/g未満
サルモネラ (個/20g)	陰性	陰性
大腸菌群 (個/g)	陰性	陰性
真菌類 (個/g)	10個/g以下	100個/g以下
汚染物質	適合	汚染物質基準
合格・出荷可とする	品質保証責任者 : 密 武嗣	

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分析試験報告書

No. 26G03-008

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検体名 : MP-A Lot 260414

実施方法 : 社内分析方法

報告年月日 2026年4月23日

酒井 美幸

品質管理室長

項目	結果	品質基準値
水分 (%)	8.1	9.9%以下
粗蛋白質 (%)	13.1	13.0%以上
粗脂肪 (%)	4.2	3.0%以上
粗灰分 (%)	14.1	17.0%以下
粗繊維 (%)	11.5	15.0%以下
可溶性無窒素物 (%)	49.0	-
一般生菌数 (個/g)	3.4×10^4	3×10^6 個/g未満
サルモネラ (個/20g)	陰性	陰性
大腸菌群 (個/g)	陰性	陰性
真菌類 (個/g)	10個/g以下	100個/g以下
合格・出荷可とする	品質保証責任者: 密 武嗣	

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストイング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-04000137	受領日:	06.04.2026
お客様検体番号:	MF, MF Mash Lot 260406	分析日:	13.04.2026 - 07.05.2026
検体情報:	MF, MF粉末 Lot 260406		

一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10

金属類	結果	不確かさ	単位	定量下限値
J8312 16 ヒ素 (Asとして) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
ヒ素 (As)	0.45	±(0.12)	mg/kg	0.1
J8308 16 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
カドミウム (Cd)	0.064	±(0.015)	mg/kg	0.01
J8306 16 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
鉛	< 0.050		mg/kg	0.05
JJ0EV 16 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
セレン	0.50	±(0.11)	mg/kg	0.05
J1018 16 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS				
水銀 (Hg)	< 0.005		mg/kg	0.005

マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF 16 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1

ホルモン	結果	単位	定量下限値
JCES3 16 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5

残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体のみ適用されます。
 この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
 適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
 規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
 弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソグへの追加項目) 分析方法 : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
親本友浩
確認日付: 2016年05月20日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にも適用されます。この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-04000136	受領日:	06.04.2026
お客様検体番号:	CR-LPF, CR-LPF Mash Lot 260403	分析日:	13.04.2026 - 07.05.2026
検体情報:	CR-LPF, CR-LPF粉末 Lot 260403		

一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10

金属類	結果	不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
ヒ素 (As)	0.32 ± (0.10)		mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
カドミウム (Cd)	0.064 ± (0.015)		mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
鉛	< 0.050		mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
セレン	0.32 ± (0.08)		mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS				
水銀 (Hg)	< 0.005		mg/kg	0.005

マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1

ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5

残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にも適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
デILDロリン	<0.005	mg/kg	0.005
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリ	<0.005	mg/kg	0.005
ヘブタクロ	<0.005	mg/kg	0.005
パラチ	<0.005	mg/kg	0.005
マラチ (マラソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名 
確認日付: 2026年05月20日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

 ユーロフィン・フード・テストイング株式会社
 〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-04000135	受領日:	06.04.2026
お客様検体番号:	CRF-1, CRF-1 Mash Lot 260401	分析日:	13.04.2026 - 07.05.2026
検体情報:	CRF-1, CRF-1粉末 Lot 260401		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (Asとして) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.40 ± (0.11)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.062 ± (0.015)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	< 0.050	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.52 ± (0.11)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体のみ適用されます。
 この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
 適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
 規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
 弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 4 1 9 5 6

オーダーコード EUAA42-00014691

残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘブタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目)	分析方法 : Internal Method, GC-MS/MS		
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体のみ適用されます。
 この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
 適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
 規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
 弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-04000172	受領日:	09.04.2026
お客様検体番号:	LRC4 Lot 260402	分析日:	15.04.2026 - 07.05.2026
検体情報:	LRC4 Lot 260402		
一般分析			
JJ0B5 JR	ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS	結果	単位 定量下限値
	N-ニトロソジエチルアミン (NDEA)	<10	µg/kg 10
	N-ニトロソジメチルアミン (NDMA)	<10	µg/kg 10
金属類			
J8312 I6	ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS	結果 不確かさ	単位 定量下限値
	ヒ素 (As)	0.14 ± (0.08)	mg/kg 0.1
J8308 I6	カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	カドミウム (Cd)	0.12 ± (0.03)	mg/kg 0.01
J8306 I6	鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	鉛	0.14 ± (0.05)	mg/kg 0.05
JJ0EV I6	セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	セレン	0.17 ± (0.05)	mg/kg 0.05
J1018 I6	総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS		
	水銀 (Hg)	< 0.005	mg/kg 0.005
マイコトキシン類(カビ毒)			
JCFAF I6	アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD	結果	単位 定量下限値
	アフラトキシン B1	< 1	µg/kg 1
	アフラトキシン B2	< 1	µg/kg 1
	アフラトキシン G1	< 1	µg/kg 1
	アフラトキシン G2	< 1	µg/kg 1
ホルモン			
JCES3 I6	エストラジオール(飼料) 分析方法: LC-MS/MS	結果	単位 定量下限値
	17β-エストラジオール	< 5	µg/kg 5
残留農薬			
SFLA0 SF	水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS	結果	単位 定量下限値
	DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg 0.01
	DDE, o,p-	<0.005	mg/kg 0.005
	DDD, o,p-	<0.005	mg/kg 0.005
	エンドリン	<0.005	mg/kg 0.005
	ディルドリン	<0.005	mg/kg 0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
マラチオン (マラソン)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF	PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS		
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
 この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
 適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
 規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
 弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-04000232	受領日:	14.04.2026
お客様検体番号:	GOC4 Lot 260409	分析日:	20.04.2026 - 12.05.2026
検体情報:	GOC4 Lot 260409		

一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10

金属類	結果	不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
ヒ素 (As)	0.25	± (0.09)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
カドミウム (Cd)	0.13	± (0.027)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
鉛	0.14	± (0.049)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS				
セレン	0.25	± (0.06)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS				
水銀 (Hg)	< 0.005		mg/kg	0.005

マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1

ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5

残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
 この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
 適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
 規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
 弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-04000171	受領日:	09.04.2026
お客様検体番号:	PS-A Lot 260407	分析日:	15.04.2026 - 07.05.2026
検体情報:	PS-A Lot 260407		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.27 ± (0.10)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.062 ± (0.015)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.22 ± (0.06)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.34 ± (0.08)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にも適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリ	<0.005	mg/kg	0.005
ヘブタクロ	<0.005	mg/kg	0.005
パラチ	<0.005	mg/kg	0.005
マラチ (マラソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法 : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-04000231	受領日:	14.04.2026
お客様検体番号:	MP-A Lot 260414	分析日:	20.04.2026 - 12.05.2026
検体情報:	MP-A Lot 260414		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.46 ± (0.12)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.10 ± (0.022)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.14 ± (0.049)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.60 ± (0.13)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
デイルドリン	<0.005	mg/kg	0.005
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリン	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソグへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。


頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****



この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-04000137	Sample reception date:	06.04.2026
Client Code:	MF, MF Mash Lot 260406	Analysed between:	13.04.2026 - 07.05.2026
Sample described as:	MF, MF粉末 Lot 260406		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10

Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.45 ± (0.12)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.064 ± (0.015)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	< 0.050	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.50 ± (0.11)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005

Mycotoxins	Results	Unit	LOQ
JCFAF I6 Aflatoxin B1, B2, G1, G2 Method : Internal method, IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1

Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5

Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00014693

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005

PCB	Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS		
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.

The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****

確認者署名
梶下 友浩
確認日付: 2026年05月20日
Oriental Yeast Co., Ltd.

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-04000135	Sample reception date:	06.04.2026
Client Code:	CRF-1, CRF-1 Mash Lot 260401	Analysed between:	13.04.2026 - 07.05.2026
Sample described as:	CRF-1, CRF-1粉末 Lot 260401		
Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10
Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.40 ± (0.11)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.062 ± (0.015)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	< 0.050	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.52 ± (0.11)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005
Mycotoxins	Results	Unit	LOQ
JCFAF I6 Aflatoxin B1, B2, G1, G2 Method : Internal method, IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1
Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5
Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00014691

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005

PCB	Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS		
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****

確認者署名 
確認日付: 2026年05月20日
Oriental Yeast Co., Ltd.

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-04000172	Sample reception date:	09.04.2026
Client Code:	LRC4 Lot 260402	Analysed between:	15.04.2026 - 07.05.2026
Sample described as:	LRC4 Lot 260402		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10

Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.14 ± (0.08)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.12 ± (0.03)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	0.14 ± (0.05)	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.17 ± (0.05)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005

Mycotoxins	Results	Unit	LOQ
JCFAF I6 Aflatoxin B1, B2, G1, G2 Method : Internal method, IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1

Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5

Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00014719

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-04000232	Sample reception date:	14.04.2026
Client Code:	GOC4 Lot 260409	Analysed between:	20.04.2026 - 12.05.2026
Sample described as:	GOC4 Lot 260409		
Chemistry			
JJ0B5 JR	NDMA / NDEA	Method : Internal Method, GC-MS/MS	
	N-Nitrosodiethylamine (NDEA)	<10	µg/kg 10
	N-Nitrosodimethylamine (NDMA)	<10	µg/kg 10
Metals			
J8312 I6	Arsenic (As)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	
	Arsenic (As)	0.25 ± (0.09)	mg/kg 0.1
J8308 I6	Cadmium (Cd)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	
	Cadmium (Cd)	0.13 ± (0.027)	mg/kg 0.01
J8306 I6	Lead (Pb)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	
	Lead (Pb)	0.14 ± (0.049)	mg/kg 0.05
JJ0EV I6	Selenium (Se)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	
	Selenium (Se)	0.25 ± (0.06)	mg/kg 0.05
J1018 I6	Mercury (Hg)	Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS	
	Mercury (Hg)	< 0.005	mg/kg 0.005
Mycotoxins			
JCFAF I6	Aflatoxin B1, B2, G1, G2	Method : Internal method, IAC-LC-FLD	
	Aflatoxin B1	< 1	µg/kg 1
	Aflatoxin B2	< 1	µg/kg 1
	Aflatoxin G1	< 1	µg/kg 1
	Aflatoxin G2	< 1	µg/kg 1
Hormones			
JCES3 I6	Estradiol (feed)	Method : LC-MS/MS	
	17β-Estradiol	< 5	µg/kg 5
Pesticide Residue			
SFLA0 SF	Pesticide Screening GC/MS in food with low water content Selected Parameter(s)		Method : § 64 LFGB L
	00.00-34 : 2010-09, mod., GC-MS [GC-MS]		
	DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg 0.01
	DDE, o,p-	<0.005	mg/kg 0.005
	DDD, o,p-	<0.005	mg/kg 0.005
	Endrin	<0.005	mg/kg 0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00014753

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005


PCB	Results	Unit	LOQ
SFVNS SF PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.
 The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).
 The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
 ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.
 Results have been obtained and reported in accordance with our general sales conditions available on request.
 When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.
 The uncertainty has not been taken into account for standards that already include measurement uncertainty.
 The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-04000171	Sample reception date:	09.04.2026
Client Code:	PS-A Lot 260407	Analysed between:	15.04.2026 - 07.05.2026
Sample described as:	PS-A Lot 260407		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10

Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.27 ± (0.10)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.062 ± (0.015)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	0.22 ± (0.06)	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.34 ± (0.08)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005

Mycotoxins	Results	Unit	LOQ
JCFAF I6 Aflatoxin B1, B2, G1, G2 Method : Internal method, IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1

Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5

Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00014718

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.