

目 次

掲 載 項 目	品 目	ページ
・ 飼料分析報告書に関する証明書		2
・ 自社分析報告書	MF・MF粉末	3
	CR-LPF・CR-LPF粉末	4
	CRF-1・CRF-1粉末	5
	LRC4	6
	DS-A	7
	PS-A	8
	SPS-LG	9
	MP-A	10
・ コンタミナント報告書(和文)	MF・MF粉末	11
	CR-LPF・CR-LPF粉末	13
	CRF-1・CRF-1粉末	15
	LRC4	17
	DS-A	19
	PS-A	21
	MP-A	23
・ コンタミナント報告書(英文)	MF・MF粉末	25
	CRF-1・CRF-1粉末	27
	LRC4	29
	DS-A	31
	PS-A	33



ORIENTAL YEAST CO.,LTD.

6-10, 3-CHOME, AZUSAWA, ITABASHI-KU, TOKYO 174-8505 JAPAN

飼料分析報告書に関する証明書


2026 年 8 月に製造した実験動物用飼料の分析報告書の写しは当社に
保管されている原本と相違ないことを証明する。

2026 年 9 月 30 日

オリエンタル酵母工業株式会社

バイオ事業本部

リサーチソリューション部



分 析 試 験 報 告 書

No. 26G03-038

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : MF・MF粉末 Lot 260805
実 施 方 法 : 社内分析方法

報告年月日	2026年8月24日
酒井 美幸	
品質管理室長	

項 目		結 果	品 質 基 準 値
水 分	(%)	8.7	9.9%以下
粗 蛋 白 質	(%)	22.8	22.0%以上
粗 脂 肪	(%)	5.1	3.5%以上
粗 灰 分	(%)	5.7	7.5%以下
粗 繊 維	(%)	3.7	4.5%以下
可 溶 性 無 窒 素 物	(%)	54.0	-
一 般 生 菌 数	(個/ g)	8.7×10^3	3×10^6 個/ g 未満
サ ル モ ネ ラ	(個/20 g)	陰性	陰性
大 腸 菌 群	(個/ g)	陰性	陰性
真 菌 類	(個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質		適合	汚染物質基準
合格・出荷可とする		品質保証責任者 :	密 武田司

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分 析 試 験 報 告 書

No. 26G03-040

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : CR-LPF・CR-LPF粉末 Lot 260807
実 施 方 法 : 社内分析方法

報告年月日	2026年8月24日
酒井 美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水 分 (%)	8.0	9.9%以下
粗 蛋 白 質 (%)	16.9	15.0%以上
粗 脂 肪 (%)	3.7	2.5%以上
粗 灰 分 (%)	6.0	8.0%以下
粗 繊 維 (%)	5.0	6.5%以下
可 溶 性 無 窒 素 物 (%)	60.4	-
一 般 生 菌 数 (個/ g)	7.2×10^3	3×10^6 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者: 密 武田司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 26G03-036

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : CRF-1・CRF-1粉末 Lot 260803
実 施 方 法 : 社 内 分 析 方 法

報告年月日	2026年8月24日
酒井 美幸	
品質管理室長	

項 目	結 果	品 質 基 準 値
水 分 (%)	8.7	9.9%以下
粗 蛋 白 質 (%)	22.5	21.0%以上
粗 脂 肪 (%)	5.4	4.0%以上
粗 灰 分 (%)	6.7	8.0%以下
粗 繊 維 (%)	3.8	5.0%以下
可 溶 性 無 窒 素 物 (%)	52.9	-
一 般 生 菌 数 (個/ g)	4.4 x 10 ³	3 x 10 ⁶ 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者： 密 武岡司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 26G03-037

御中

〒261-0002
千葉県千葉市美浜区新港 8-2
オリエンタル酵母工業株式会社
千葉工場 品質管理室

検 体 名 : LRC4 Lot 260803
実 施 方 法 : 社 内 分 析 方 法

報告年月日	2026年8月24日
酒井 美幸	
品質管理室長	

項 目		結 果	品 質 基 準 値
水 分	(%)	9.0	9.9%以下
粗 蛋 白 質	(%)	19.0	16.0%以上
粗 脂 肪	(%)	2.8	2.0%以上
粗 灰 分	(%)	8.0	12.0%以下
粗 繊 維	(%)	15.0	21.0%以下
可 溶 性 無 窒 素 物	(%)	46.2	-
一 般 生 菌 数	(個/ g)	3.1×10^4	3×10^6 個/ g 未満
サ ル モ ネ ラ	(個/20 g)	陰性	陰性
大 腸 菌 群	(個/ g)	陰性	陰性
真 菌 類	(個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質		適合	汚染物質基準
合格・出荷可とする		品質保証責任者：	密 武田司

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部（TEL 03-3968-1192）へお願いいたします。

分 析 試 験 報 告 書

No. 26G03-042

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検 体 名 : DS-A Lot 260824

実施方法 : 社内分析方法

報告年月日

2026年9月24日

酒井 美幸

品質管理室長

項 目	結 果	品 質 基 準 値
水 分 (%)	7.7	9.9%以下
粗 蛋 白 質 (%)	24.3	23.0%以上
粗 脂 肪 (%)	7.5	5.5%以上
粗 灰 分 (%)	7.7	8.5%以下
粗 繊 維 (%)	4.2	6.5%以下
可 溶 性 無 窒 素 物 (%)	48.6	-
一 般 生 菌 数 (個/ g)	2.7×10^3	3×10^6 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
汚 染 物 質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者 : 密 武田司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分 析 試 験 報 告 書

No. 26G03-044

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検体名 : PS-A Lot 260825

実施方法 : 社内分析方法

報告年月日 2026年9月25日

酒井 美幸

品質管理室長

項目	結果	品質基準値
水分 (%)	8.4	9.9%以下
粗蛋白質 (%)	21.2	20.0%以上
粗脂肪 (%)	6.9	5.0%以上
粗灰分 (%)	8.1	8.5%以下
粗繊維 (%)	3.3	4.5%以下
可溶性無窒素物 (%)	52.1	-
一般生菌数 (個/g)	100個/g 以下	3 x 10 ⁶ 個/g 未満
サルモネラ (個/20g)	陰性	陰性
大腸菌群 (個/g)	陰性	陰性
真菌類 (個/g)	10個/g 以下	100個/g 以下
汚染物質	適合	汚染物質基準
合格・出荷可とする		
品質保証責任者 : 密 武満司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分 析 試 験 報 告 書

No. 26G03-039

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検 体 名 : SPS-LG Lot 260805

実施方法 : 社内分析方法

報告年月日 2026年8月24日

酒井 美幸

品質管理室長

項 目	結 果	品 質 基 準 値
水 分 (%)	8.8	9.9%以下
粗 蛋 白 質 (%)	22.5	21.0%以上
粗 脂 肪 (%)	9.2	7.0%以上
粗 灰 分 (%)	5.1	7.0%以下
粗 繊 維 (%)	2.4	3.5%以下
可 溶 性 無 窒 素 物 (%)	52.0	-
一 般 生 菌 数 (個/g)	100個/g 以下	3 x 10 ⁶ 個/g 未満
サ ル モ ネ ラ (個/20g)	陰性	陰性
大 腸 菌 群 (個/g)	陰性	陰性
真 菌 類 (個/g)	10個/g 以下	100個/g 以下
合格・出荷可とする		
品質保証責任者: 密 武涌司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。

分 析 試 験 報 告 書

No. 26G03-043

御中

〒261-0002

千葉県千葉市美浜区新港 8-2

オリエンタル酵母工業株式会社

千葉工場 品質管理室

検 体 名 : MP-A Lot 260824

実施方法 : 社内分析方法

報告年月日 2026年9月8日

酒井 美幸

品質管理室長

項 目	結 果	品 質 基 準 値
水 分 (%)	8.0	9.9%以下
粗 蛋 白 質 (%)	14.2	13.0%以上
粗 脂 肪 (%)	4.1	3.0%以上
粗 灰 分 (%)	14.9	17.0%以下
粗 繊 維 (%)	10.4	15.0%以下
可 溶 性 無 窒 素 物 (%)	48.4	-
一 般 生 菌 数 (個/ g)	6.4×10^4	3×10^6 個/ g 未満
サ ル モ ネ ラ (個/20 g)	陰性	陰性
大 腸 菌 群 (個/ g)	陰性	陰性
真 菌 類 (個/ g)	10個/ g 以下	100個/ g 以下
合格・出荷可とする		
品質保証責任者: 密 武 嗣 司		

分析試験報告書に関するお問い合わせは、
バイオ事業本部リサーチソリューション部 (TEL 03-3968-1192) へお願いいたします。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-08000125	受領日:	06.08.2026
お客様検体番号:	MF, MF Mash Lot 260805	分析日:	10.08.2026 - 24.08.2026
検体情報:	MF, MF粉末 Lot 260805		
一般分析			
JJ0B5 JR	ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS	結果	単位 定量下限値
	N-ニトロソジエチルアミン (NDEA)	<10	µg/kg 10
	N-ニトロソジメチルアミン (NDMA)	<10	µg/kg 10
金属類			
J8312 I6	ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS	結果 不確かさ	単位 定量下限値
	ヒ素 (As)	0.41 ± (0.11)	mg/kg 0.1
J8308 I6	カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	カドミウム (Cd)	0.051 ± (0.013)	mg/kg 0.01
J8306 I6	鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	鉛	< 0.050	mg/kg 0.05
JJ0EV I6	セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	セレン	0.35 ± (0.08)	mg/kg 0.05
J1018 I6	総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS		
	水銀 (Hg)	0.007 ± (0.004)	mg/kg 0.005
マイコトキシン類(カビ毒)			
JCF4F I6	アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD	結果	単位 定量下限値
	アフラトキシン B1	< 1	µg/kg 1
	アフラトキシン B2	< 1	µg/kg 1
	アフラトキシン G1	< 1	µg/kg 1
	アフラトキシン G2	< 1	µg/kg 1
ホルモン			
JCES3 I6	エストラジオール(飼料) 分析方法: LC-MS/MS	結果	単位 定量下限値
	17β-エストラジオール	< 5	µg/kg 5
残留農薬			
SFLA0 SF	水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34 : 2010-09, mod., GC-MS	結果	単位 定量下限値
	DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg 0.01
	DDE, o,p-	<0.005	mg/kg 0.005
	DDD, o,p-	<0.005	mg/kg 0.005
	エンドリン	<0.005	mg/kg 0.005
	ディルドリン	<0.005	mg/kg 0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
マラチオン (マラソン)	<0.005	mg/kg	0.005


ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。


頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

(*本報告書は旧報告書 AR-26-YP-003976-01/712-2026-08000125 24/08/2026 を置き換え無効とするものです)



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名

確認日付: 2026 年 09 月 11 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-08000111	受領日:	06.08.2026
お客様検体番号:	CR-LPF, CR-LPF Mash Lot 260807	分析日:	10.08.2026 - 24.08.2026
検体情報:	CR-LPF, CR-LPF粉末 Lot 260807		

一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10

金属類	結果 不確かさ	単位	定量下限値
J8312 16 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.30 ± (0.10)	mg/kg	0.1
J8308 16 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.059 ± (0.014)	mg/kg	0.01
J8306 16 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	< 0.050	mg/kg	0.05
JJ0EV 16 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.36 ± (0.08)	mg/kg	0.05
J1018 16 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005

マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF 16 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1

ホルモン	結果	単位	定量下限値
JCES3 16 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5

残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L			
00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社的一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
ディルドリン	<0.005	mg/kg	0.005
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソグへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名

確認日付: 2026 年 09 月 08 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使ソされた検体にも適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告してあります。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-08000126	受領日:	06.08.2026
お客様検体番号:	CRF-1, CRF-1 Mash Lot 260803	分析日:	10.08.2026 - 24.08.2026
検体情報:	CRF-1, CRF-1粉末 Lot 260803		
一般分析			
JJ0B5 JR	ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS	結果	単位 定量下限値
	N-ニトロソジエチルアミン (NDEA)	<10	µg/kg 10
	N-ニトロソジメチルアミン (NDMA)	<10	µg/kg 10
金属類			
J8312 I6	ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS	結果 不確かさ	単位 定量下限値
	ヒ素 (As)	0.35 ± (0.11)	mg/kg 0.1
J8308 I6	カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	カドミウム (Cd)	0.062 ± (0.015)	mg/kg 0.01
J8306 I6	鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	鉛	< 0.050	mg/kg 0.05
JJ0EV I6	セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS		
	セレン	0.34 ± (0.08)	mg/kg 0.05
J1018 I6	総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS		
	水銀 (Hg)	0.009 ± (0.004)	mg/kg 0.005
マイコトキシン類(カビ毒)			
JCFAF I6	アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD	結果	単位 定量下限値
	アフラトキシン B1	< 1	µg/kg 1
	アフラトキシン B2	< 1	µg/kg 1
	アフラトキシン G1	< 1	µg/kg 1
	アフラトキシン G2	< 1	µg/kg 1
ホルモン			
JCES3 I6	エストラジオール(飼料) 分析方法: LC-MS/MS	結果	単位 定量下限値
	17β-エストラジオール	< 5	µg/kg 5
残留農薬			
SFLA0 SF	水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS	結果	単位 定量下限値
	DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg 0.01
	DDE, o,p-	<0.005	mg/kg 0.005
	DDD, o,p-	<0.005	mg/kg 0.005
	エンドリン	<0.005	mg/kg 0.005
	ディルドリン	<0.005	mg/kg 0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社的一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 4 4 1 3 4

オーダーコード EUAA42-00015717

残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
マラチオン (マラソン)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。

(*本報告書は旧報告書 AR-26-YP-003977-01/712-2026-08000126 24/08/2026 を置き換え無効とするものです)



Narumi Kunisue

ASM Associate

***** 以下余白 *****

確認者署名
統不友浩
確認日付: 2026 年 09 月 11 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-08000127	受領日:	06.08.2026
お客様検体番号:	LRC4 Lot 260803	分析日:	10.08.2026 - 24.08.2026
検体情報:	LRC4 Lot 260803		

一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10

金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	< 0.10	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.067 ± (0.016)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.075 ± (0.043)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.18 ± (0.05)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005

マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1

ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5

残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L			
00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 0 4 3 8 5 5

オーダーコード EUAA42-00015718

残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
統不反浩
確認日付: 2026 年 09 月 08 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 4 4 4 0 2

オーダーコード EUAA42-00015838

報告日 24.09.2026

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-08000373	受領日:	26.08.2026
お客様検体番号:	DS-A Lot 260824	分析日:	01.09.2026 - 24.09.2026
検体情報:	DS-A Lot 260824		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.38 ± (0.11)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.036 ± (0.011)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.059 ± (0.042)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.36 ± (0.08)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS			
水銀 (Hg)	0.008 ± (0.004)	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
統不友浩
確認日付: 2026 年 09 月 29 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 4 4 4 3 7

オーダーコード EUAA42-00015842

報告日 25.09.2026

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-08000375	受領日:	26.08.2026
お客様検体番号:	PS-A Lot 260825	分析日:	01.09.2026 - 25.09.2026
検体情報:	PS-A Lot 260825		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.29 ± (0.10)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.060 ± (0.014)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.14 ± (0.05)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.26 ± (0.07)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS			
水銀 (Hg)	0.008 ± (0.004)	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005
ディルドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。
規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリノ	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソソ)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーソグへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
統示及浩
確認日付: 2026 年 09 月 9 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



0 5 5 1 6 8 7 8 0 0 0 0 4 4 3 8

オーダーコード EUAA42-00015843

報告日 25.09.2026

オリエンタル酵母工業株式会社 様

ユーロフィン・フード・テストング株式会社
〒235-0016 神奈川県横浜市磯子区磯子3丁目3-21 磯子江戸徳ビル3階

分析報告書

検体番号	712-2026-08000376	受領日:	26.08.2026
お客様検体番号:	MP-A Lot 260824	分析日:	01.09.2026 - 25.09.2026
検体情報:	MP-A Lot 260824		
一般分析	結果	単位	定量下限値
JJ0B5 JR ニトロソアミン(NDMA/NDEA) 分析方法: Internal Method, GC-MS/MS			
N-ニトロソジエチルアミン (NDEA)	<10	µg/kg	10
N-ニトロソジメチルアミン (NDMA)	<10	µg/kg	10
金属類	結果 不確かさ	単位	定量下限値
J8312 I6 ヒ素 (As として) 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
ヒ素 (As)	0.32 ± (0.10)	mg/kg	0.1
J8308 I6 カドミウム 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
カドミウム (Cd)	0.062 ± (0.015)	mg/kg	0.01
J8306 I6 鉛 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
鉛	0.17 ± (0.06)	mg/kg	0.05
JJ0EV I6 セレン 分析方法: DIN EN 15763:2010 (2010-04) 修正版, ICP-MS			
セレン	0.34 ± (0.08)	mg/kg	0.05
J1018 I6 総水銀 分析方法: ASU L00.00-19/4 (2021-07) 修正版, CV-AAS			
水銀 (Hg)	< 0.005	mg/kg	0.005
マイコトキシン類(カビ毒)	結果	単位	定量下限値
JCFAF I6 アフラトキシンB1, B2, G1, G2 分析方法: Internal Method, IAC-LC-FLD			
アフラトキシン B1	< 1	µg/kg	1
アフラトキシン B2	< 1	µg/kg	1
アフラトキシン G1	< 1	µg/kg	1
アフラトキシン G2	< 1	µg/kg	1
ホルモン	結果	単位	定量下限値
JCES3 I6 エストラジオール(飼料) 分析方法: LC-MS/MS			
17β-エストラジオール	< 5	µg/kg	5
残留農薬	結果	単位	定量下限値
SFLA0 SF 水分が少ない食品の農薬スクリーニング(GC-MS) 中で、選択された分析項目 分析方法: § 64 LFGB L 00.00-34: 2010-09, mod., GC-MS			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
エンドリン	<0.005	mg/kg	0.005

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。
この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。
適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。
弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



残留農薬	結果	単位	定量下限値
ディルドリン	<0.005	mg/kg	0.005
γ-BHC(リンデン)	<0.005	mg/kg	0.005
アルドリン	<0.005	mg/kg	0.005
ヘプタクロル	<0.005	mg/kg	0.005
パラチオン	<0.005	mg/kg	0.005
馬拉チオン (馬拉ソン)	<0.005	mg/kg	0.005

ポリ塩化ビフェニル(PCB)	結果	単位	定量下限値
SFVNS SF PCB (GC/MSスクリーニングへの追加項目) 分析方法: Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

頭2文字が SF の試験は Eurofins SOFIA GmbH で分析された試験です。

頭2文字が JR の試験は Eurofins Consumer Product Testing (Hamburg) で分析された試験です。

頭2文字が I6 の試験は Eurofins WEJ Contaminants GmbH (HH) で分析された試験です。



Narumi Kunisue
ASM Associate

***** 以下余白 *****

確認者署名
親 示 友 浩
確認日付: 2026 年 09 月 29 日
Oriental Yeast Co., Ltd.

この分析結果報告書について一部分を複製しての利用はできません。分析結果は本試験で使用された検体にのみ適用されます。

この分析結果報告書に記載されている結果は、顧客依頼に応じて弊社の一般販売規約に従い、取得および報告されたものです。

適合または不適合を表明する場合には、規制値または規格値の内容と比較できるように分析結果に不確かさを加算または減算した形で報告しております。

規制値または規格値があらかじめ測定の不確かさを含んでいる場合には、分析結果への不確かさの考慮を行いません。

弊社より提供する試験は5桁のコードとして表示し、顧客の要望に応じて試験の詳細説明は開示可能です。



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-08000125	Sample reception date:	06.08.2026
Client Code:	MF, MF Mash Lot 260805	Analysed between:	10.08.2026 - 24.08.2026
Sample described as:	MF, MF粉末 Lot 260805		
Chemistry			
JJ0B5 JR NDMA / NDEA	Method : Internal Method, GC-MS/MS	Unit	LOQ
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10
Metals			
J8312 I6 Arsenic (As)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Unit	LOQ
Arsenic (As)	0.41 ± (0.11)	mg/kg	0.1
J8308 I6 Cadmium (Cd)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Unit	LOQ
Cadmium (Cd)	0.051 ± (0.013)	mg/kg	0.01
J8306 I6 Lead (Pb)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Unit	LOQ
Lead (Pb)	< 0.050	mg/kg	0.05
JJ0EV I6 Selenium (Se)	Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Unit	LOQ
Selenium (Se)	0.35 ± (0.08)	mg/kg	0.05
J1018 I6 Mercury (Hg)	Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS	Unit	LOQ
Mercury (Hg)	0.007 ± (0.004)	mg/kg	0.005
Mycotoxins			
JCF AF I6 Aflatoxin B1, B2, G1, G2	Method : Internal method, IAC-LC-FLD	Unit	LOQ
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1
Hormones			
JCES3 I6 Estradiol (feed)	Method : LC-MS/MS	Unit	LOQ
17β-Estradiol	< 5	µg/kg	5
Pesticide Residue			
SFLA0 SF	Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L	Unit	LOQ
	00.00-34 : 2010-09, mod., GC-MS [GC-MS]		
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00015716

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005


PCB	Results	Unit	LOQ
SFVNS SF PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.

The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).

(*this report cancels and replaces the previous one, numbered AR-26-YP-003976-01/712-2026-08000125 dated 24/08/2026 which must be destroyed)



Narumi Kunisue

ASM Associate

***** END OF REPORT *****

確認者署名
鈴木 友塔
確認日付: 2026 年 09 月 11 日
Oriental Yeast Co., Ltd.

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-08000126	Sample reception date:	06.08.2026
Client Code:	CRF-1, CRF-1 Mash Lot 260803	Analysed between:	10.08.2026 - 24.08.2026
Sample described as:	CRF-1, CRF-1粉末 Lot 260803		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10
Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	0.35 ± (0.11)	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.062 ± (0.015)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	< 0.050	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.34 ± (0.08)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS			
Mercury (Hg)	0.009 ± (0.004)	mg/kg	0.005
Mycotoxins	Results	Unit	LOQ
JCFAF I6 Aflatoxin B1, B2, G1, G2 Method : Internal method, IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1
Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5
Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L			
00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00015717

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005


PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.

The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).


The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).

(*this report cancels and replaces the previous one, numbered AR-26-YP-003977-01/712-2026-08000126 dated 24/08/2026 which must be destroyed)



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-08000127	Sample reception date:	06.08.2026
Client Code:	LRC4 Lot 260803	Analysed between:	10.08.2026 - 24.08.2026
Sample described as:	LRC4 Lot 260803		

Chemistry	Results	Unit	LOQ
JJ0B5 JR NDMA / NDEA Method : Internal Method, GC-MS/MS			
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10

Metals	Results (uncertainty)	Unit	LOQ
J8312 I6 Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Arsenic (As)	< 0.10	mg/kg	0.1
J8308 I6 Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Cadmium (Cd)	0.067 ± (0.016)	mg/kg	0.01
J8306 I6 Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Lead (Pb)	0.075 ± (0.043)	mg/kg	0.05
JJ0EV I6 Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS			
Selenium (Se)	0.18 ± (0.05)	mg/kg	0.05
J1018 I6 Mercury (Hg) Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS			
Mercury (Hg)	< 0.005	mg/kg	0.005

Mycotoxins	Results	Unit	LOQ
JCFAF I6 Aflatoxin B1, B2, G1, G2 Method : Internal method, IAC-LC-FLD			
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1

Hormones	Results	Unit	LOQ
JCES3 I6 Estradiol (feed) Method : LC-MS/MS			
17β-Estradiol	< 5	µg/kg	5

Pesticide Residue	Results	Unit	LOQ
SFLA0 SF Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L			
00.00-34 : 2010-09, mod., GC-MS [GC-MS]			
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00015718

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.

The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****

確認者署名
梶本 友浩
確認日付: 2026 年 09 月 08 日
Oriental Yeast Co., Ltd.

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-08000373	Sample reception date:	26.08.2026
Client Code:	DS-A Lot 260824	Analysed between:	01.09.2026 - 24.09.2026
Sample described as:	DS-A Lot 260824		
Chemistry			
JJ0B5 JR	NDMA / NDEA Method : Internal Method, GC-MS/MS	Results	Unit LOQ
	N-Nitrosodilethylamine (NDEA)	<10	µg/kg 10
	N-Nitrosodimethylamine (NDMA)	<10	µg/kg 10
Metals			
J8312 I6	Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Results (uncertainty)	Unit LOQ
	Arsenic (As)	0.38 ± (0.11)	mg/kg 0.1
J8308 I6	Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Cadmium (Cd)	0.036 ± (0.011)	mg/kg 0.01
J8306 I6	Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Lead (Pb)	0.059 ± (0.042)	mg/kg 0.05
JJ0EV I6	Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS		
	Selenium (Se)	0.36 ± (0.08)	mg/kg 0.05
J1018 I6	Mercury (Hg) Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS		
	Mercury (Hg)	0.008 ± (0.004)	mg/kg 0.005
Mycotoxins			
JCFAF I6	Aflatoxin B1, B2, G1, G2 Method : Internal method, IAC-LC-FLD	Results	Unit LOQ
	Aflatoxin B1	< 1	µg/kg 1
	Aflatoxin B2	< 1	µg/kg 1
	Aflatoxin G1	< 1	µg/kg 1
	Aflatoxin G2	< 1	µg/kg 1
Hormones			
JCES3 I6	Estradiol (feed) Method : LC-MS/MS	Results	Unit LOQ
	17β-Estradiol	< 5	µg/kg 5
Pesticide Residue			
SFLA0 SF	Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L	Results	Unit LOQ
	00.00-34 : 2010-09, mod., GC-MS [GC-MS]		
	DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg 0.01
	DDE, o,p-	<0.005	mg/kg 0.005
	DDD, o,p-	<0.005	mg/kg 0.005
	Endrin	<0.005	mg/kg 0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00015838

Pesticide Residue	Results	Unit	LOQ
Dieldrin	<0.005	mg/kg	0.005
Lindane (gamma-HCH)	<0.005	mg/kg	0.005
Aldrin	<0.005	mg/kg	0.005
Heptachlor	<0.005	mg/kg	0.005
Parathion	<0.005	mg/kg	0.005
Malathion	<0.005	mg/kg	0.005

PCB	Results	Unit	LOQ
SFVNS SF PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28	<0.005	mg/kg	0.005
PCB 52	<0.005	mg/kg	0.005
PCB 101	<0.005	mg/kg	0.005
PCB 118	<0.005	mg/kg	0.005
PCB 138	<0.005	mg/kg	0.005
PCB 153	<0.005	mg/kg	0.005
PCB 180	<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.

The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****

確認者署名
統 不 友 浩
確認日時: 2026 年 09 月 29 日
Oriental Yeast Co., Ltd.

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Oriental Yeast Co. Ltd.

Eurofins Food Testing Japan K.K.
Isogo Edotoku building, 3rd floor, 3-3-21 Isogo, Isogo-Ku, Yokohama,
Kanagawa, JP235-0016, JAPAN

Analytical Report

Sample code Nr.	712-2026-08000375	Sample reception date:	26.08.2026
Client Code:	PS-A Lot 260825	Analysed between:	01.09.2026 - 25.09.2026
Sample described as:	PS-A Lot 260825		
Chemistry			
JJ0B5 JR	NDMA / NDEA Method : Internal Method, GC-MS/MS	Unit	LOQ
N-Nitrosodiethylamine (NDEA)	<10	µg/kg	10
N-Nitrosodimethylamine (NDMA)	<10	µg/kg	10
Metals			
J8312 I6	Arsenic (As) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Results (uncertainty) Unit	LOQ
Arsenic (As)	0.29 ± (0.10)	mg/kg	0.1
J8308 I6	Cadmium (Cd) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Unit	LOQ
Cadmium (Cd)	0.060 ± (0.014)	mg/kg	0.01
J8306 I6	Lead (Pb) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Unit	LOQ
Lead (Pb)	0.14 ± (0.05)	mg/kg	0.05
JJ0EV I6	Selenium (Se) Method : DIN EN 15763:2010 (2010-04), mod., ICP-MS	Unit	LOQ
Selenium (Se)	0.26 ± (0.07)	mg/kg	0.05
J1018 I6	Mercury (Hg) Method : ASU L00.00-19/4 (2021-07), mod., CV-AAS	Unit	LOQ
Mercury (Hg)	0.008 ± (0.004)	mg/kg	0.005
Mycotoxins			
JCFAF I6	Aflatoxin B1, B2, G1, G2 Method : Internal method, IAC-LC-FLD	Unit	LOQ
Aflatoxin B1	< 1	µg/kg	1
Aflatoxin B2	< 1	µg/kg	1
Aflatoxin G1	< 1	µg/kg	1
Aflatoxin G2	< 1	µg/kg	1
Hormones			
JCES3 I6	Estradiol (feed) Method : LC-MS/MS	Unit	LOQ
17β-Estradiol	< 5	µg/kg	5
Pesticide Residue			
SFLA0 SF	Pesticide Screening GC/MS in food with low water content Selected Parameter(s) Method : § 64 LFGB L	Unit	LOQ
	00.00-34 : 2010-09, mod., GC-MS [GC-MS]		
DDT (p,p'-DDT+o,p'-DDT+p,p'-DDE+p,p'-TDE)	<0.01	mg/kg	0.01
DDE, o,p-	<0.005	mg/kg	0.005
DDD, o,p-	<0.005	mg/kg	0.005
Endrin	<0.005	mg/kg	0.005

This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.



Batch code EUAA42-00015842

Pesticide Residue		Results	Unit	LOQ
Dieldrin		<0.005	mg/kg	0.005
Lindane (gamma-HCH)		<0.005	mg/kg	0.005
Aldrin		<0.005	mg/kg	0.005
Heptachlor		<0.005	mg/kg	0.005
Parathion		<0.005	mg/kg	0.005
Malathion		<0.005	mg/kg	0.005

PCB		Results	Unit	LOQ
SFVNS SF	PCBs add to GC/MS-Screening Method : Internal Method, GC-MS/MS			
PCB 28		<0.005	mg/kg	0.005
PCB 52		<0.005	mg/kg	0.005
PCB 101		<0.005	mg/kg	0.005
PCB 118		<0.005	mg/kg	0.005
PCB 138		<0.005	mg/kg	0.005
PCB 153		<0.005	mg/kg	0.005
PCB 180		<0.005	mg/kg	0.005

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA GmbH.


The tests identified by the two letters code JR are performed in laboratory Eurofins Consumer Product Testing (Hamburg).

The tests identified by the two letters code I6 are performed in laboratory Eurofins WEJ Contaminants GmbH (HH).



Narumi Kunisue
ASM Associate

***** END OF REPORT *****



This document can only be reproduced in full; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications.

The uncertainty has not been taken into account for standards that already include measurement uncertainty.

The tests are identified by a five-digit code, their description is available on request.